


# MCS1H Series


## Subminiature High Sensitivity PCB Relays




### Features:

- Low profile.
- High coil sensitivity.
- Fully sealed.
- Low coil power consumption.
- Small size and low cost.
- PCB mounting, DIL pitch terminal.
- Standard and high sensitivity operation.

**MCS1HS**



**MCS1KHS**



### Characteristics:


Contact arrangement	SPDT (1 Form C)
Contact material	AgAu
Contact resistance	100mΩ maximum
Contact rating (resistive load)	1A at 24V dc/120V ac
Switching voltage	30V dc maximum and 120V ac maximum
Operate time	5ms maximum
Release time	5ms maximum
Insulation resistance	100MΩ minimum (500V dc)
Dielectric strength	1000V.rms, 1 minute between open contact 1000V.rms, 1 minute between contact and coil
Shock resistance	10 grams approximate
Vibration	10 - 55Hz, Amplitude 1.5mm
Ambient temperature	-40°C to +85°C
Operation life	Mechanical : 10 <sup>7</sup> Electrical : 10 <sup>5</sup>

# MCS1H Series


## Subminiature High Sensitivity PCB Relays



### MCS1HS




### MCS1KHS



## Specifications

Coil		Must Operate Voltage	Must Dropout Voltage	Maximum Voltage	Coil Consumption (mW)	Series	Part Number
Volts (V dc)	Resistance (Ω)	% Of Rated Voltage (at +20°C)					
5	120	75 maximum	10 minimum	110 maximum	200	SPCO-MCS1H-S	MCS1H-S DC5V
12	700						MCS1H-S DC12V
24	2800						MCS1H-S DC24V
5	120					SPCO-MCS1KH-S	MCS1KH-S DC5V
12	700						MCS1KH-S DC12V
24	2800						MCS1KH-S DC24V

## Part Number Explanation:



Relay Model	: MCS1.
Series	: NIL = MCS1, K = MCS1K.
Wattage Rating	: H = 200mW High Sensitivity.
Sealing	: S = Sealed Type.
Rated Voltage	: 5, 12 and 24V dc.



# MCS1H Series

## Subminiature High Sensitivity PCB Relays



### Notes:

### International Sales Offices:



#### AUSTRALIA – Farnell InOne

Tel No: ++ 61 2 9645 8888  
Fax No: ++ 61 2 9644 7898



#### FINLAND – Farnell InOne

Tel No: ++ 358 9 560 7780  
Fax No: ++ 358 9 345 5411



#### NETHERLANDS – Farnell InOne

Tel No: ++ 31 30 241 7373  
Fax No: ++ 31 30 241 7333



#### SWITZERLAND – Farnell InOne

Tel No: ++ 41 1 204 64 64  
Fax No: ++ 41 1 204 64 54



#### AUSTRIA – Farnell InOne

Tel No: ++ 43 662 2180 680  
Fax No: ++ 43 662 2180 670



#### FRANCE – Farnell InOne

Tel No: ++ 33 474 68 99 99  
Fax No: ++ 33 474 68 99 90



#### NEW ZEALAND – Farnell InOne

Tel No: ++ 64 9 357 0646  
Fax No: ++ 64 9 357 0656



#### UK – Farnell InOne

Tel No: ++ 44 8701 200 200  
Fax No: ++ 44 8701 200 201



#### BELGIUM – Farnell InOne

Tel No: ++ 32 3 475 2810  
Fax No: ++ 32 3 227 3648



#### GERMANY – Farnell InOne

Tel No: ++ 49 89 61 39 39 39  
Fax No: ++ 49 89 613 59 01



#### NORWAY – Farnell InOne

Tel No: ++ 45 44 53 66 66  
Fax No: ++ 45 44 53 66 02



#### UK – BuckHickman InOne

++ 44 8450 510 150  
++ 44 8450 510 130



#### BRAZIL – Farnell-Newark InOne

Tel No: ++ 55 11 4066 9400  
Fax No: ++ 55 11 4066 9410



#### HONG KONG – Farnell-Newark InOne

Tel No: ++ 852 2268 9888  
Fax No: ++ 852 2268 9899



#### PORTUGAL – Farnell InOne

Tel No: ++ 34 93 475 8804  
Fax No: ++ 34 93 474 5288



#### UK – CPC

++ 44 8701 202 530  
++ 44 8701 202 531



#### CHINA – Farnell-Newark InOne

Tel No: ++86 10 6238 5152  
Fax No: ++86 10 6238 5022



#### IRELAND – Farnell InOne

Tel No: ++ 353 1 830 9277  
Fax No: ++ 353 1 830 9016



#### SINGAPORE – Farnell-Newark InOne

Tel No: ++ 65 6788 0200  
Fax No: ++ 65 6788 0300



#### EXPORT – Farnell InOne

Tel No: ++ 44 8701 200 208  
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



#### DENMARK – Farnell InOne

Tel No: ++ 45 44 53 66 44  
Fax No: ++ 45 44 53 66 06



#### ITALY – Farnell InOne

Tel No: ++ 39 02 93 995 200  
Fax No: ++ 39 02 93 995 300



#### SPAIN – Farnell InOne

Tel No: ++ 34 93 475 8805  
Fax No: ++ 34 93 474 5107



#### ESTONIA – Farnell InOne

Tel No: ++ 358 9 560 7780  
Fax No: ++ 358 9 345 5411



#### MALAYSIA – Farnell-Newark InOne

Tel No: ++ 60 3 7873 8000  
Fax No: ++ 60 3 7873 7000



#### SWEDEN – Farnell InOne

Tel No: ++ 46 8 730 50 00  
Fax No: ++ 46 8 83 52 62

<http://www.farnellinone.com>

<http://www.buckhickmaninone.com>

<http://www.cpc.co.uk>

**Disclaimer** This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2004.

